

# Tully Falls National Park

**Management Statement**

2013



Prepared by: **Queensland Parks & Wildlife Service (QPWS), Department of Environment, Science and Innovation**

© State of Queensland 2024

*The Department of Environment, Science and Innovation acknowledges Aboriginal peoples and Torres Strait Islander peoples as the Traditional Owners and custodians of the land. We recognise their connection to land, sea and community, and pay our respects to Elders past and present.*

*The department is committed to respecting, protecting, and promoting human rights, and our obligations under the Human Rights Act 2019.*

*This management statement does not intend to affect, diminish, or extinguish native title or associated rights.*

The Queensland Government supports and encourages the dissemination and exchange of its information. This work is licensed under a Creative Commons Attribution 4.0 International License.



Under this licence you are free, without having to seek our permission, to use this publication in accordance with the licence terms. You must keep intact the copyright notice and attribute the State of Queensland as the source of the publication.

For more information on this licence, visit <https://creativecommons.org/licenses/by/4.0/>

#### **Disclaimer**

All due diligence and care has been taken in the preparation of this document based on the information in the 2013 management statement. The department holds no responsibility for any errors or omissions within this document. Any decisions made by other parties based on this document are solely the responsibility of those parties.

The Tully Falls National Park Management Statement 2013 has been extended in 2024 in line with the Queensland *Nature Conservation Act 1992* (s120G). Minor amendments have been made. There has been no change to the statement's original management intent and direction.

If you need to access this document in a language other than English, please call the Translating and Interpreting Service (TIS National) on 131 450 and ask them to telephone Library Services on +61 7 3170 5470.

This publication can be made available in an alternative format (e.g. large print or audiotape) on request for people with vision impairment; phone +61 7 3170 5470 or email [library@des.qld.gov.au](mailto:library@des.qld.gov.au).

Park size:	Tully Falls NP	17,076ha
	Tully Falls NP (Recovery)	254ha
Bioregion:	Wet Tropics	
QPWS region:	Northern	
Local government estate/area:	Tablelands Regional	
State electorate:	Dalrymple	

### Legislative framework

✓	<i>Aboriginal Cultural Heritage Act 2003</i>
✓	<i>Environment Protection and Biodiversity Conservation Act 1999 (Cwlth)</i>
✓	<i>Nature Conservation Act 1992</i>
✓	<i>Wet Tropics World Heritage Protection and Management Act 1993</i>

### Plans and agreements

✓	Draft recovery plan for the spotted-tail quoll (northern sub-species) <i>Dasyurus maculatus gracilis</i> 2011
✓	National recovery plan for the spectacled flying fox <i>Pteropus conspicillatus</i>
✓	National recovery plan for the yellow-bellied glider (Wet Tropics) <i>Petaurus australis</i> unnamed subspecies
✓	Recovery plan for the northern bettong <i>Bettongia tropica</i> 2000–2004
✓	Recovery plan for the southern cassowary <i>Casuarius casuarius johnsonii</i> 2001–2005
✓	Recovery plan for the stream-dwelling rainforest frogs of the Wet Tropics biogeographic region of north-east Queensland 2000–2004
✓	Wet Tropics of Queensland World Heritage Area Regional Agreement 2005

### Thematic strategies

✓	Level 2 fire strategy
✓	Level 2 pest strategy
✓	QPWS Wet Tropics Pest Strategy

## Vision

Tully Falls National Park provides a cool highland experience for nature appreciation. The natural and cultural values are well presented and the scenic opportunities attract experienced bush walkers.

## Conservation purpose

Tully Falls National Park was gazetted on 16 January 2006 after an assessment of its previous state forest values. The park was designated a protected area in view of its high natural and cultural integrity.

The park is located adjacent to Koombuloomba, Maalan and the Tully Gorge national parks and is within the Wet Tropics World Heritage Area.

Tully Falls National Park (Recovery) is located along Tully Falls Road and Sutties Gap Road. This area is anticipated to be amalgamated with Tully Falls National Park.

## Protecting and presenting the park's values

### Landscape

Tully Falls National Park is on upland areas of the Walter Hill and Cardwell ranges where the highest point is 1215 metres (m). Landscape features of the park include Mount Koolmoon at 1119m, Koolmoon Creek and Falls, Wispy Falls, Cannabullen Creek and Falls and Oakes Knob.

Water has eroded the high-grade Quaternary metamorphic rocks, Cambian-Proterozoic carbonate sediments and Permian granite and basalts to create a range of streams and waterfalls of high scenic value. The Rhyolite Pinnacle on the Misty Mountains trail offers panoramic views of the surrounding landscape.

### Regional ecosystems

Of the 23 regional ecosystems mapped in Tully Falls National Park, 19 are endangered or of concern (Table 1).

### Native plants and animals

Tully Falls National Park is known to protect plant and animal species of conservation significance (Table 2).

Four bird species are listed in international agreements (Table 3).

### Aboriginal culture

The Jirrbal People have lodged a native title application (QC04/004) over the park.

Queensland Parks and Wildlife Service (QPWS) has limited knowledge and understanding of the cultural significance at present. However, identified sites of material Aboriginal culture are known to exist within Tully Falls National Park.

### Shared-history culture

Tully Falls National Park was extensively logged when it was a state forest. This is evidenced by logging tracks, tree stumps, log dumps and loading ramps throughout the park.

Sites of cultural heritage significance on Tully Falls National Park include camps and quarries used during road construction, logging operations and associated activities. The ruins of Ferra Kelly's Teahouse and the forestry experimental plot in the Ongeru Logging Area are also of significance.

### Tourism and visitor opportunities

The Misty Mountains wilderness trails network is located in Wooroonooran, Tully Gorge and Tully Falls national parks. Walks on Tully Falls National Park include Cannabullen Creek, Koolmoon Creek, Rhyolite Pinnacle, Djilgarrin, Walters Waterhole and the Cardwell Range walks.

The Gold Coast Road is an ex-forestry road, which has become part of the Misty Mountains wilderness trails network, and is now referred to as the Cardwell Range Track. The 2005 Wet Tropics Forest Transfer community working group expressed an interest in using the Cardwell Range Track for mountain biking.

Camping facilities are provided at the Cannabullen, Koolmoon and Walters Waterhole sites.

## **Partnerships**

QPWS is responsible for the day-to-day management of the national park. The Wet Tropics Management Authority regulates activity in the Wet Tropics World Heritage Area. The goal of both agencies is to present the area's values while protecting its natural and cultural values.

Traditional Owners are involved in cooperative park management.

## **Other key issues and responses**

### **Pest management**

Pest management in Tully Falls National Park is undertaken within the framework of the Level 2 Tablelands Pest Management Strategy.

### **Fire management**

The methods and mechanism that are used to manage the equilibrium between rainforest and tall open forest on the western fringe of this park are described in the Tully Falls Aggregation Level 2 fire management strategy.

## Management directions

Desired outcomes	Actions and guidelines
<p><b>Aboriginal culture</b> Traditional Owners are involved in cooperative park management.</p>	<p>Support the involvement of the Traditional Owners in park management.</p>
<p><b>Tourism and visitor opportunities</b> Tourism and recreation experiences are appropriate to the landscape character of the park, and are safe and sustainable.</p>	<p>Consider using the Cannabullen Creek and Cardwell Range Road tracks for mountain bike riding.</p>

## Tables – Conservation values management

**Table 1: Endangered and of concern regional ecosystems**

Regional ecosystem number	Description	Biodiversity status
7.3.5	<i>Melaleuca quinquenervia</i> and/or <i>Melaleuca cajuputi</i> closed forest to shrubland on poorly drained alluvial plains	Endangered
7.3.28	Rivers and streams including riparian herbfield and shrubland on river and stream bed alluvium, and rock within stream beds	Endangered
7.3.42	<i>Eucalyptus grandis</i> open forest to woodland (or vine forest with emergent <i>E. grandis</i> ), on alluvium	Endangered
7.3.43	<i>Eucalyptus tereticornis</i> open forest to woodland, on uplands on well drained alluvium	Endangered
7.8.1	Complex mesophyll vine forest on well drained basalt lowlands and foothills	Endangered
7.8.2	Complex notophyll to mesophyll vine forest of high rainfall, cloudy uplands on basalt	Of concern
7.8.3	Complex semi-evergreen notophyll vine forest of uplands on basalt	Endangered
7.8.4	Simple to complex notophyll vine forest of cloudy wet highlands on basalt	Endangered
7.8.7	<i>Eucalyptus tereticornis</i> open forest, and associated grasslands, predominantly on basalt uplands	Endangered
7.8.15	<i>Eucalyptus grandis</i> open forest to woodland (or vine forest with <i>E. grandis</i> emergents), on basalt	Endangered
7.12.9	<i>Acacia celsa</i> open to closed forest on granites and rhyolites	Of concern
7.12.21	<i>Eucalyptus grandis</i> open forest to woodland, or <i>Corymbia intermedia</i> , <i>E. pellita</i> , and <i>E. grandis</i> , open forest to woodland (or vine forest with these species as emergents), on granites and rhyolites	Endangered
7.12.22	<i>Eucalyptus resinifera</i> +/- <i>Eucalyptus portuensis</i> +/- <i>Syncarpia glomulifera</i> tall open forest to tall woodland (or vine forest with these species as emergents), on moist to wet granite and rhyolite uplands and highlands	Endangered
7.12.25	<i>Eucalyptus cloeziana</i> woodland to open forest on granite and rhyolite	Of concern
7.12.37	Rock pavements and see areas of wet lowlands, uplands and highlands of the eastern escarpment and central range (excluding high granite areas of Hinchinbrook Island and Bishops Peak) on granite and rhyolite, with <i>Allocasuarina</i> spp. shrublands and/or sedgeland	Of concern
7.12.48	Wind-sheared notophyll vine forest of exposed granite and rhyolite ridge-crests and steep slopes	Of concern
7.12.50	Simple microphyll vine-fern forest on granite and rhyolite, of wet highlands	Of concern
7.12.52	<i>Eucalyptus resinifera</i> , <i>Corymbia intermedia</i> , <i>Allocasuarina littoralis</i> , <i>Syncarpia glomulifera</i> , <i>E. drepanophylla</i> +/- <i>E. reducta</i> woodland, of dry to moist hills on granite and rhyolite	Of concern
7.12.66	Exposed rocky slopes on granite and rhyolite, with <i>Lophostemon confertus</i> low shrubland or low to medium closed forest	Of concern

**Table 2: Species of conservation significance**

Scientific name	Common name	<i>Nature Conservation Act 1992</i> status	<i>Environment Protection and Biodiversity Conservation Act 1999</i> status	Back on Track status
<b>Plants</b>				
<i>Aponogeton bullosus</i>	-	Endangered	Endangered	High
<i>Caesalpinia robusta</i>	giant mother-in-law vine	Near threatened	-	Low
<i>Cyathea baileyana</i>	wig tree fern	Near threatened	-	Low
<i>Cyathea celebica</i>	-	Near threatened	-	Medium
<i>Endiandra dichrophylla</i>	coach walnut	Near threatened	-	Low
<i>Endiandra sideroxylon</i>	-	Near threatened	-	Low
<i>Haplostichanthus submontanus</i> subsp. <i>sessiliflorus</i>	-	Near threatened	-	Low
<i>Helicia lamingtoniana</i>	-	Near threatened	-	Low
<i>Hypserpa smilacifolia</i>	-	Near threatened	-	Low
<b>Animals</b>				
<i>Aerodramus terraereginae</i>	Australian swiftlet	Near threatened	-	Low
<i>Bettongia tropica</i>	northern bettong	Endangered	Endangered	Critical
<i>Casuarius casuarius johnsonii</i> (southern population)	southern cassowary (southern population)	Endangered	Endangered	Critical
<i>Cyclopsitta diophthalma macleayana</i>	Macleay's fig-parrot	Vulnerable	-	Low
<i>Dasyurus hallucatus</i>	northern quoll	Least concern	Endangered	Medium
<i>Dasyurus maculatus gracilis</i>	spotted-tailed quoll (northern subspecies)	Endangered	Endangered	Critical
<i>Dendrolagus lumholtzi</i>	Lumholtz's tree-kangaroo	Near threatened	-	Low
<i>Eulamprus tigrinus</i>	-	Near threatened	-	Low
<i>Hemibelideus lemuroides</i>	lemuroid ringtail possum	Near threatened	-	Low
<i>Litoria nannotis</i>	waterfall frog	Endangered	Endangered	Low
<i>Litoria nyakalensis</i>	mountain mistfrog	Endangered	Critically endangered	Low
<i>Litoria rheocola</i>	common mistfrog	Endangered	Endangered	Low
<i>Litoria serrata</i>	tapping green eyed frog	Near threatened	-	Low
<i>Murina florium</i>	tube-nosed insectivorous bat	Vulnerable	-	High
<i>Nyctimystes dayi</i>	Australian lacelid	Endangered	Endangered	Low
<i>Petaurus australis</i> unnamed subsp.	yellow-bellied glider (northern subspecies)	Vulnerable	Vulnerable	Critical
<i>Pseudochirops archeri</i>	green ringtail possum	Near threatened	-	Low
<i>Pseudochirulus herbertensis</i>	Herbert River ringtail Possum	Near threatened	-	Low
<i>Pteropus conspicillatus</i>	spectacled flying-fox	Least concern	Vulnerable	High
<i>Taudactylus acutirostris</i>	sharp snouted dayfrog	Endangered	Extinct	Low



**Table 3: Species listed in international agreements**

Scientific name	Common name	BONN	JAMBA	ROKAMBA	CAMBA
<i>Coracina tenuirostris</i>	cicadabird	-	✓	-	-
<i>Monarcha melanopsis</i>	black-faced monarch	✓	-	-	-
<i>Monarcha trivirgatus</i>	spectacled monarch	✓	-	-	-
<i>Rhipidura rufifrons</i>	rufous fantail	✓	-	-	-

BONN: Bonn Convention

CAMBA: China–Australia Migratory Bird Agreement

JAMBA: Japan–Australia Migratory Bird Agreement

ROKAMBA: Republic of Korea–Australia Migratory Bird Agreement