# **Basilisk Range National Park**

Management Statement 2013



Prepared by: Queensland Parks & Wildlife Service (QPWS), Department of Environment, Science and Innovation © State of Queensland 2024

The Department of Environment, Science and Innovation acknowledges Aboriginal peoples and Torres Strait Islander peoples as the Traditional Owners and custodians of the land. We recognise their connection to land, sea and community, and pay our respects to Elders past and present.

The department is committed to respecting, protecting, and promoting human rights, and our obligations under the Human Rights Act 2019.

This management statement does not intend to affect, diminish, or extinguish native title or associated rights.

The Queensland Government supports and encourages the dissemination and exchange of its information. This work is licensed under a Creative Commons Attribution 4.0 International License.



Under this licence you are free, without having to seek our permission, to use this publication in accordance with the licence terms. You must keep intact the copyright notice and attribute the State of Queensland as the source of the publication.

For more information on this licence, visit https://creativecommons.org/licenses/by/4.0/

#### Disclaimer

All due diligence and care has been taken in the preparation of this document based on the information in the 2013 management statement. The department holds no responsibility for any errors or omissions within this document. Any decisions made by other parties based on this document are solely the responsibility of those parties.

The Basilisk Range National Park Management Statement 2013 has been extended in 2024 in line with the Queensland *Nature Conservation Act 1992* (s120G). Minor amendments have been made. There has been no change to the statement's original management intent and direction.

If you need to access this document in a language other than English, please call the Translating and Interpreting Service (TIS National) on 131 450 and ask them to telephone Library Services on +61 7 3170 5470.

This publication can be made available in an alternative format (e.g. large print or audiotape) on request for people with vision impairment; phone +61 7 3170 5470 or email library@des.gld.gov.au.

Park size:	2,210ha
Bioregion:	Wet Tropics
QPWS region:	Northern
Local government estate/area:	Cassowary Coast Regional Council

# Legislative framework

~	Aboriginal Cultural Heritage Act 2003
~	Environment Protection and Biodiversity
	Conservation Act 1999 (Cwlth)
~	Native Title Act 1993 (Cwlth)
~	Nature Conservation Act 1992

# Plans and agreements

~	Bonn Convention
~	China—Australia Migratory Bird Agreement
~	Draft recovery plan for the spotted-tail quoll
	(northern sub-species) Dasyurus maculatus gracilis
	2011
~	Japan—Australia Migratory Bird Agreement
~	National recovery plan for the southern cassowary
	Casuarius casuarius johnsonii 2007
~	National recovery plan for the spectacled flying-fox
	Pteropus conspicillatus
~	Recovery Plan for the endangered cave-dwelling
	bats, Rhinolophus philippinensis, Hipposideros
	semoni and Taphozous troughtoni 2001–2005
~	Recovery plan for the stream-dwelling rainforest
	frogs of the Wet Tropics biogeographic region of
	north-east Queensland 2000–2004
~	Republic of Korea—Australia Migratory Bird
	Agreement

#### **Vision**

Basilisk Range National Park is gradually returned to a viable remnant of mesophyll vine forest and essential habitat for the southern cassowary.

# **Conservation purpose**

Basilisk Range National Park is a coastal lowland foothill feature located north-west of the township of Silkwood. It was dedicated as national park in November 2010 to protect important conservation values, particularly essential southern cassowary habitat.

The area was transferred to national park during the Wet Tropics Forest Transfer Program 2005.

# Protecting and presenting the area's values

#### Landscape

The Basilisk Range is primarily Devonian contact metamorphic rock with an area of Ordovician granite on its coastal side. The range rises to an elevation of 394m at Mount Warrubullen.

Basilisk Range National Park is a scenic, natural elevated landscape surrounded by developed agricultural land—predominantly sugar cane, papaya and banana farms.

The park is within the Johnstone River catchment. Liverpool and Meuanbah creeks run along the park's southern and western boundaries. Both are quite large, flood prone rivers.

Basilisk Range National Park is isolated from other protected areas and has been subject to timber harvesting. Presently, there is no visitor infrastructure (private or public) in the park.

## Regional ecosystems

Six regional ecosystems are conserved on the park. Four have significant biodiversity status covering almost 25 per cent of the park (Table 1).

Vine forest on wet lowlands, foothills and uplands (RE 7.11.1) dominate close to 75 per cent of the park. One endangered shrubland regional ecosystem (RE 7.11.36) with casuarina and grass trees is only found on Basilisk Range. It is distinguished from other similar ecosystems by its occurrence on serpentinite foothills.

The area has been subject to significant impact from fires. Photography from 1960s depicts the eastern slopes as stunted, low open vegetation and grassland.

#### Plants and animals

The upgrade of the Powerlink line from Tully to Innisfail required a comprehensive survey of natural values across a corridor on the park boundary. The report identifies sites in the Basilisk Range area as habitat outliers which may contribute to the values of the Wet Tropics World Heritage Area (WTWHA)—particularly the two vegetated tributaries of Bombeeta Creek which link the Basilisk Range to the adjacent WTWHA within Wooroonooran National Park (Natural Solutions Environmental Consultants 2006).

Near threatened stream-dwelling frogs (primarily the common mist frog *Litoria rheocola* and Australian lacelid *Nyctimystes dayi* were identified within most of the permanent streams present on the Basilisk Range during the assessment.

The near threatened ox tongue fern *Antrophyum plantagineum* occurs on the park.

Endangered species may include the northern quoll *Dasyurus hallucatus* and the greater large-eared horseshoe bat *Rhinolophus philippinensis* (large form).

The endangered southern cassowary *Casuarius casuarius johnsonii* (southern population) has been observed and the area is listed as essential habitat. Post-Tropical Cyclone Yasi cassowary feeding stations have been established in the park.

Bird species listed in international agreements include the rufous fantail *Rhipidura rufifrons*, satin flycatcher *Myiagra cyanoleuca*, spectacled monarch *Monarcha trivirgatus*, black-faced monarch *Monarcha melanopsis*, rainbow bee-eater *Merops ornatus* and the white-bellied sea-eagle *Haliaeetus leucogaster* (Table 3).

A spectacled flying-fox *Pteropus conspicillatus* colony is located nearby and it is likely they feed in the park. The vulnerable Macleay's fig -parrot *Cyclopsitta diophthalma* macleayana has also been observed on nearby properties and is likely to occur in the park (Table 2).

The park's vegetation is predominantly mesophyll vine forest; however it also contains Corymbia and Eucalyptus open-forest and shrubland with grass trees and she-oaks. All sclerophyll habitats are possible habitat for mahogany gliders and northern quoll.

#### **Aboriginal culture**

The Mamu People have a registered native title claim (QC01/015) that includes the park.

Queensland Parks and Wildlife Service (QPWS) has limited knowledge of the Aboriginal cultural significance of the park.

### Tourism and visitor opportunities

Visitor use of Basilik Range National Park is currently low. No tourism or visitor facilities are provided.

#### **Partnerships**

Traditional Owners are involved in cooperative park management.

# Other key issues and responses

#### Pest management

No pests are currently recorded for the park. However, Siam weed *Chromolaena odorata* and other Class 1 weeds occur in the general area.

An approved pest management strategy is yet to be developed.

### Fire management

Fire management is critical in sclerophyll habitats to avoid potential vegetation thickening as a result of fire exclusion.

An approved fire strategy is yet to be developed for the park.

#### References

Natural Solutions Environmental Consultants 2006. Powerlink Queensland Final Report Tully to Innisfail Report on the Findings of Targeted Surveys for NES Matters June, 2006 – Appendix B Specialist Flora and Fauna Reports.

# **Management directions**

Desired outcomes	Actions and guidelines		
Aboriginal culture	Support the involvement of the Traditional Owners in park management.		
Traditional Owners are involved in cooperative park management.			
Pest management Threats posed by pest plants and animals are identified and managed.	Develop and implement a pest management strategy in consultation with adjoining landholders and other relevant parties.  Create a comprehensive list of species.  Survey the park for Siam weed and other declared pest species known to occur in the local area.		
Fire management  Fire management protects species diversity, life, property and infrastructure.	<ul> <li>Develop and implement a fire strategy in consultation with adjoining landholders and other relevant interested parties to protect:         <ul> <li>the Corymbia intermedia and eucalyptus open-forest and woodlands that are dependent on appropriate fire management regimes</li> <li>the sclerophyll canopy component of the eucalyptus and corymbia open-forest on lowlands and foothills on metamorphics that requires fire for regeneration, to prevent rainforest encroachment</li> <li>the endangered regional ecosystem with grass trees and casuarinas historically maintained by regular cane farm burns intruding into the protected area.</li> </ul> </li> </ul>		

# **Tables – Conservation values management**

Table 1: Endangered and of concern regional ecosystems

Regional ecosystem number	Description	Biodiversity status
7.3.10	Simple-complex mesophyll to notophyll vine forest, on moderately to poorly-drained alluvial plains, of moderate fertility.	Endangered
7.11.18	Corymbia intermedia and/or C. tessellaris +/- Eucalyptus tereticornis open-forest to woodland (or vine forest with these species as emergents) on coastal metamorphic headlands and foothills.	Of concern
7.11.24	Closed vineland of wind-disturbed vine forest of metamorphic slopes, often steep and exposed.	Of concern
7.11.36	Allocasuarina littoralis, Corymbia intermedia, Lophostemon suaveolens, Xanthorrhoea johnsonii shrubland on serpentinite foothills, with deep red soils.	Endangered

Table 2: Species of conservation significance

Scientific name	Common name	Nature Conservation Act 1992 status	Environment Protection and Biodiversity Conservation Act 1999 status	Back on Track status	
Plants					
Antrophyum plantagineum	ox tongue fern	Near threatened		Low	
Animals					
Casuarius casuarius johnsonii (southern population)	southern cassowary*	Endangered	Endangered	Critical	
Cyclopsitta diophthalma macleayana	Macleay's fig-parrot*	Vulnerable		Low	
Pteropus conspicillatus	spectacled flying fox*	Least concern	Vulnerable	High	

<sup>\*</sup> These species are not recorded on Wildnet for the park, they have been observed or are likely to be present.

Table 3: Species listed in international agreements

Scientific name	Common name	CMS	CAMBA	JAMBA	ROKAMBA
Haliaeestus leucogaster	white-bellied sea-eagle	-	-	-	✓
Merops ornatus	rainbow bee-eater	-	✓	-	-
Monarcha melanopsis	black-faced monarch	✓	-	-	-
Myiagra cyanoleuca	satin flycatcher	✓	-	-	-
Rhipidura rufifrons	rufous fantail	✓	-	-	-
Symposiarchus trivirgatus	spectacled monarch	✓	-	-	-

BONN (CMS) - Bonn Convention

CAMBA - China-Australia Migratory Bird Agreement

JAMBA - Japan-Australia Migratory Bird Agreement

ROKAMBA - Republic of Korea-Australia Migratory Bird Agreement